



SERIES RX

CONVECTION OVENS

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://fmind.nt-rt.ru> || fdm@nt-rt.ru

RX 203

REF. 710293







3 x 340 x 240

3 x GN 1/2

EQUIPMENT

- Safety thermostat
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		3 x 340 x 240 - 3 x GN 1/2
Power		2.250 W
Max temperature		250° C
Weight		22 Kg.
Voltage		230 V - 50 Hz
Endowment		3 perforated aluminium tray
Connection		SINGLE PHASE
Cooking chamber dimension		(W)360 x (D)290 x (H)260 mm.
External dimension		(W)500 x (D)560 x (H)455 mm.
RRP		
Humidifier Ref. 710313		

RX 304

REF. 710040







4 x 430 x 340

EQUIPMENT

- Safety thermostat
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 430 x 340
Power		3.100 W
Max temperature		250° C
Weight		34 Kg.
Voltage		230 V - 50 Hz
Endowment		4 perforated aluminium tray
Connection		SINGLE PHASE
Cooking chamber dimension		(W)450 x (D)340 x (H)345 mm.
External dimension		(W)590 x (D)675 x (H)540 mm.
Distance between trays		80 mm.
RRP RX-304		
GRILL 1,4 kW		
Humidifier		
Kit GN 2/3		
RRP RXL-304 Ref. 710088		

RX 384

REF. 710178






4 x 430 x 340

EQUIPMENT

- Cycle end alarm
- Door safety switch
- Safety thermostat
- Halogen chamber light
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 430 x 340
Power		3.200 W
Max temperature		250° C
Weight		35 Kg.
Voltage		230 V - 50/60 Hz
Endowment		4 perforated aluminium tray
Connection		SINGLE PHASE
Cooking chamber dimension		(W)450 x (D)370 x (H)345 mm.
External dimension		(W)590 x (D)700 x (H)540 mm.
Distance between trays		80 mm.
RRP RX-384		
GRILL		1,4 kW
Humidifier		
Kit GN 2/3		
RRP RXL-384 Ref. 710204		

RX 424

REF. 710018





4 x 480 x 340

EQUIPMENT

- Cycle end alarm
- Safety thermostat
- Halogen chamber light
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 480 x 340
Power		3.100 W
Max temperature		250° C
Weight		36 Kg.
Voltage		230 V - 50 Hz
Endowment		4 wire rack
Connection		SINGLE PHASE
Cooking chamber dimension		(W)500 x (D)410 x (H)345 mm.
External dimension		(W)640 x (D)720 x (H)540 mm.
Distance between trays		80 mm.
RRP RX-424		
GRILL 1,4 kW		
Humidifier		
Kit GN 2/3		
RRP RXL-424 Ref. 710071		

RX 584

REF. 710267




4 x 480 x 440

EQUIPMENT

- Cycle end alarm
- Door safety switch
- Safety thermostat
- Halogen chamber light
- Reversing gear
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 480 x 440
Power		3.700 W
Max temperature		250° C
Weight		39 Kg.
Voltage		230 V - 50/60 Hz
Endowment		4 wire rack
Connection		SINGLE PHASE
Cooking chamber dimension		(W)500 x (D)470 x (H)345 mm.
External dimension		(W)640 x (D)820 x (H)540 mm.
Distance between trays		80 mm.
RRP RX-584		
GRILL 1,4 kW		
Humidifier		
Kit GN 2/3		
RRP RXL-584 Ref. 710275		

RX 603

REF. 710051







3 x 600 x 400

EQUIPMENT

- Cycle end alarm
- Door safety switch
- Safety thermostat
- Halogen chamber light
- Reversing gear
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		3 x 600 x 400
Power		3.900 W
Max temperature		250° C
Weight		39Kg.
Voltage		230 V - 50/60 Hz
Endowment		3 wire rack
Connection		SINGLE PHASE
Cooking chamber dimension		(W)620 x (D)450 x (H)270 mm.
External dimension		(W)760 x (D)800 x (H)465 mm.
Distance between trays		80 mm.
RRP RX-603		
GRILL 1,4 kW		
Humidifier		
Kit GN 1/1		
RRP RXL-603 Ref. 710072		

RX 604

REF. 710055






4 x 600 x 400

EQUIPMENT

- Cycle end alarm
- Door safety switch
- Safety thermostat
- Halogen chamber light
- Reversing gear
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 600 x 400
Power		5.700 W
Max temperature		250° C
Weight		42 Kg.
Voltage		400 / 230 V - 50/60 Hz
Endowment		4 wire rack
Connection		Three phase 3F + N + T
Cooking chamber dimension		(W)620 x (D)450 x (H)350 mm.
External dimension		(W)760 x (D)800 x (H)545 mm.
Distance between trays		80 mm.
RRP RX-604		
GRILL		1,4 kW
Humidifier		
Kit GN 1/1		
Change to single phase		

RX 604 PLUS

REF. 710056





4 x 600 x 400

EQUIPMENT

- Cycle end alarm
- Door safety switch
- Safety thermostat
- Halogen chamber light
- Reversing gear
- Timer 0-60 min. Continuous mode

FEATURES

Capacity		4 x 600 x 400
Power		6.300 W
Max temperature		250° C
Weight		48 Kg.
Voltage		400 / 230 V - 50/60 Hz
Endowment		4 wire rack
Connection		Three phase 3F + N + T
Cooking chamber dimension		(W)620 x (D)450 x (H)350 mm.
External dimension		(W)760 x (D)800 x (H)545 mm.
Distance between trays		80 mm.
RRP RX-604-PLUS		
GRILL 1,4 kW		
Humidifier		
Kit GN 1/1		
Change to single phase		

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://fmind.nt-rt.ru> || fdm@nt-rt.ru