

ST COMPACT

Minimo space, maximun results.

Get the maximun performance with the compact range in a minimun space.
You can steam, roast, fry browwn, fry, regenerate, and maintain.

STC 611

REF. 710365



Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://fmind.nt-rt.ru> || fdm@nt-rt.ru

NEW

ST COMPACT

new transversal line.

New compact ovens with transversal design and lower background.
The best result for your recipes in the smallest space
and with the best performance!

STC 611 W

REF. 710417




STC 423

REF. 710362



STC 411

REF. 710363



8 x GN 2/3 Prof. 20 | 4 x GN 2/3 Prof. 40 | 3 x GN 2/3 Prof. 65

8 x GN 1/1 Prof. 20 | 4 x GN 1/1 Prof. 40 | 3 x GN 1/1 Prof. 65

EQUIPMENT

- Climate Control-adjustable humidity
- Fan Control-adjustable speed
- Steam Control-adjustable chimney
- Delta T
- External Core Probe connection
- 6 Cooking phases
- Regeneration / Maintenance
- Recipe book
- Favorites
- Cool Down / Preheat
- Cycle end alarm
- Door sensor
- Safety thermostat
- LED chamber light
- Water connection $\frac{3}{4}$
- Folding inner glass for cleaning
- Reversing gear
- USB port
- HACCP
- Multi Level

FEATURES

Power		3.700 W
Max temperature		270° C
Weight		45 Kg.
Voltage		230 V - L+N - 50/60 Hz
Connection		SINGLE PHASE
Cooking chamber dimension		(W)356 x (D)385 x (H)302 mm.
External dimension		(W)515 x (D)620 x (H)580 mm.
RRP		
Change opening door		
Automatic washing system		Included
Core Probe		Included



FEATURES

Power		5.700 W
Max temperature		270° C
Weight		57 Kg.
Voltage		400 V - 3L+N - 50/60 Hz
Connection		THREE PHASE
Cooking chamber dimension		(W)356 x (D)560 x (H)302 mm.
External dimension		(W)515 x (D)795 x (H)580 mm.
RRP STC 411		
Change opening door		
Automatic washing system		Included
Core Probe		Included
RRP STC 411 ECO 710364		
Connection		SINGLE PHASE
Power		3700 W
Voltage		230 V - L+N - 50/60 Hz

STC 411 W

REF. 710416

NEW



8 x GN 1/1 Prof. 20

4 x GN 1/1 Prof. 40

3 x GN 1/1 Prof. 65

EQUIPMENT

- Climate Control-adjustable humidity
- Fan Control-adjustable speed
- Steam Control-adjustable chimney
- Delta T
- External Core Probe connection
- 6 Cooking phases
- Regeneration / Maintenance
- Recipe book
- Favorites
- Cool Down / Preheat
- Cycle end alarm
- Door sensor
- Safety thermostat
- LED chamber light
- Water connection $\frac{3}{4}$
- Folding inner glass for cleaning
- Reversing gear
- USB port
- HACCP
- Multi Level


FEATURES

Power		5.700 W
Max temperature		270° C
Weight		57 Kg.
Voltage		400 V - 3L+N - 50/60 Hz
Connection		SINGLE PHASE / THREE PHASE
Cooking chamber dimension		(W)561 x (D)384 x (H)303 mm.
External dimension		(W)720 x (D)620 x (H)580 mm.
RRP STC 411 W		
Change opening door		
Automatic washing system		Included
Core Probe		Included
RRP STC 411 W ECO		
Connection		SINGLE PHASE
Power		3700 W
Voltage		230 V - L+N - 50/60 Hz

STC 611 W

REF. 710417

NEW



11 x GN 1/1 Prof. 20

6 x GN 1/1 Prof. 40

4 x GN 1/1 Prof. 65

EQUIPMENT

- Climate Control-adjustable humidity
- Fan Control-adjustable speed
- Steam Control-adjustable chimney
- Delta T
- External Core Probe connection
- 6 Cooking phases
- Regeneration / Maintenance
- Recipe book
- Favorites
- Cool Down / Preheat
- Cycle end alarm
- Door sensor
- Safety thermostat
- LED chamber light
- Water connection 3/4
- Folding inner glass for cleaning
- Reversing gear
- USB port
- HACCP
- Multi Level

FEATURES

Power		7.200 W
Max temperature		270° C
Weight		65 Kg.
Voltage		400 V - 3L+N - 50/60 Hz
Connection		Three phase 3F + N + T
Cooking chamber dimension		(W)561 x (D)384 x (H)385 mm.
External dimension		(W)720 x (D)620 x (H)665 mm.
RRP		
Change opening door		
Automatic washing system		Included
Core Probe		Included

STC 611

REF. 710365



11 x GN 1/1 Prof. 20 6 x GN 1/1 Prof. 40 4 x GN 1/1 Prof. 65

STC 1011

REF. 710366



19 x GN 1/1 Prof. 20 10 x GN 1/1 Prof. 40 6 x GN 1/1 Prof. 65

EQUIPMENT

- Climate Control-adjustable humidity
- Fan Control-adjustable speed
- Steam Control-adjustable chimney
- Delta T
- External Core Probe connection
- 6 Cooking phases
- Regeneration / Maintenance
- Recipe book
- Favorites
- Cool Down / Preheat
- Cycle end alarm
- Door sensor
- Safety thermostat
- LED chamber light
- Water connection 3/4"
- Folding inner glass for cleaning
- Reversing gear
- USB port
- HACCP
- Multi Level

FEATURES

Power		7.200 W
Max temperature		270° C
Weight		65 Kg.
Voltage		400 V - 3L+N - 50/60 Hz
Connection		Three phase 3F + N + T
Cooking chamber dimension		(W)356 x (D)560 x (H)385 mm.
External dimension		(W)515 x (D)795 x (H)665 mm.
RRP		
Change opening door		
Automatic washing system		Included
Core Probe		Included

FEATURES

Power		11.400 W
Max temperature		270° C
Weight		90 Kg.
Voltage		400 V - 3L+N - 50/60 Hz
Connection		Three phase 3F + N + T
Cooking chamber dimension		(W)356 x (D)560 x (H)605 mm.
External dimension		(W)515 x (D)795 x (H)885 mm.
RRP		
Change opening door		
Automatic washing system		Included
Core Probe		Included

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47 Казахстан (772)734-952-31 Таджикистан (992)427-82-92-69

<http://fmind.nt-rt.ru> || fdm@nt-rt.ru